

- Smooth Operation, Low Noise, Fast Speed Movement
- Advanced Hydraulic Pressure Technology
- Micro-Control Technology for High Durability & Stability
- Supports Manual Control
- Supports Wireless Control & Remote Control
- 4 Meter Length, 1 Meter Width & 85 CM. Height



**K12/M50 P1**



**EVT-HRB4185-SM**

HYDRAULIC ROAD BLOCKER 4 METER  
LENGTH, 1 METER WIDTH, 0.85 METER HEIGHT

## EVT-HRB4185-SM HYDRAULIC ROAD BLOCKER 4M(L) x 1M(W) x 0.85M(H)

Specification	
Product style	Hydraulic Road Blocker
System control	Electric + Hydraulic
Body specifications	Length 4000mm * Width 1000mm * Height 850mm
Interception width	3700mm
Lifting height	850mm (Option: 1M height)
Panel thickness	25mm
Panel material	A3 steel
Treatment process	Anti-rust paint treatment
Overall weight	About 1.44 tons
Lifting force	2 tons, Max passing pressure: 120Tons
Waterproof rating	IP68
Passing pressure	60 tons container truck can pass
Ascent speed	3 ~ 5S
Falling speed	1 ~ 3S
Supply voltage	380V (control voltage 24V)
System power	3.7KW (one for one system)
Hydraulic pump specifications	510mm * 580mm * 780mm, about 150KG
Tubing specifications	1/2 high-pressure tubing, double-layer steel wire mesh
Controller chip	Mitsubishi PLC
Controller specifications	500mm * 400mm * 200mm, 11 kg
Controller installation	Indoor, wall mountable, waterproof
Working temperature	-35 °C ~ 75 °C
Storage environment	-35 °C ~ 65 °C, waterproof





All rights reserved. Appearance and specifications are subject to change without prior notice

**Eagle Vision Technology Co.**  
3949, White Plains Rd, Bronx, New  
York NY, 10466, UNITED STATES  
Tel: 1-734-210-4263  
[www.eaglevisiontech.com](http://www.eaglevisiontech.com)  
[sales@eaglevisiontech.com](mailto:sales@eaglevisiontech.com)

Distributed By

